

05/13/2004 07:58 FAX 703 305 4372  
05/04/04 16:07 FAX 617 5353800

OFF OF PATENT PUBLICATIO

001  
001

**MCDERMOTT, WILL & EMERY**  
28 State Street  
Boston, MA 02109-1775  
617-535-4000

Main Facsimile No. 617-535-3800  
Facsimile Operator No. 617-535-4000

**OFFICIAL**

**RECEIVED  
CENTRAL FAX CENTER**

**MAY 14 2004**

**FACSIMILE**

**Date:** May 4, 2004 **Time Sent:**

**TO:**

Name	Company	Facsimile No.	Contact No.
Examiner Paul A. Zucker Group Art Unit: 1621	U.S. Patent and Trademark Office	703-308-5083	571-272-0650

**FROM:**

Toby H. Kusmer

**Direct Phone:** (617) 535-4065

**E-Mail:**

tkusmer@mwe.com

**Sent By:**

Cynthia Joseph

**Direct Phone:** (617) 535-4111

**Client/Matter/Tkpr:**

38484-067/5496

**Original Follow by Mail:**

No

**Number of Pages, Including Cover:**

4

**MESSAGE:**

Applicant: Paul F. Corey, et al.

U.S. Serial No.: 09/844,816

Filed: April 30, 2001

Title: Trypsin Substrate And Diagnostic Device, And Method Of Using Same

The information contained in this facsimile message is legally privileged and confidential information intended only for the use of the individual or entity named above. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copy of this facsimile is strictly prohibited. If you have received this facsimile in error, please notify us immediately by telephone and return the original message to us at the above address by mail. Thank you.

05/13/2004 07:59 FAX 703 305 4372  
05/04/04 18:07 FAX 617 5353800

OFFICE OF PATENT PUBLICATIO

002  
002

OFFICIAL  
PATENT

Atty. Docket No.: 38484-067 (BYRF-19)

RECEIVED  
CENTRAL FAX CENTER

MAY 14 2004

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Paul F. Corey et al. Confirmation No.: 3820  
Serial No.: 09/844,816 Group Art Unit: 1621  
Filed: April 30, 2001 Examiner: Zucker, Paul A.  
For: TRYPSIN SUBSTRATE AND DIAGNOSTIC DEVICE, AND METHOD OF  
USING SAME

CERTIFICATE OF FACSIMILE TRANSMISSION

I hereby certify that this correspondence is being facsimile transmitted to the United States Patent and Trademark Office, facsimile number 703-308-5083, on the date shown below.

*Cynthia Joseph*  
Cynthia Joseph

*May 4, 2004*  
Date

AMENDMENT UNDER 37 C.F.R. § 1.312

Mail Stop Issue Fee  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

In response to the Notice of Allowance and Fee(s) Due dated March 4, 2003, please amend the title of the application to correct a typographical error.

Amendment to the Title begins on page 2 of this paper.

Remarks begin on page 3 of this paper.

BST99 1406219-1.038484.0067

1

05/13/2004 07:59 FAX 703 305 4372  
05/04/04 16:07 FAX 617 5353800

OFF OF PATENT PUBLICATIO

003  
003

*PATENT*

Atty. Docket No.: 88484-067 (BYRF-19)

**Amendment to the Title:**

Please replace the title with the following amended title:

TRYPSIN SUBSTRATE AND DIAGNOSTIC DEVICE, AND  
METHOD OF USING SAME

DST99 1406219-1.038484.0067

2